


Ceiling unit
Novy Pureline 120 cm
White



EAN 5414425068449

Energy label

▪ Energy Efficiency class (EElhood)	A++
▪ Annual Energy Consumption (kWh/year) (AEChood)	24,6
▪ Fluid Dynamic Efficiency class (FDEhood)	A
▪ Lighting Efficiency class (LEhood)	-
▪ Grease Filtering Efficiency class (GFEhood)	E

Functions & features

▪ Motor	Integrated & Remote
▪ Sound absorber	Integrated
▪ Recirculation	Optional
▪ InTouch function	Standard
▪ Auto stop	▪
▪ Delayed switch off (minutes)	10/30
▪ Grease filter	6830020
▪ Number of grease filters	2
▪ Grease filter cleaning indication	▪
▪ Recirculation filter cleaning indication	▪
▪ Control method	Push buttons + Remote control
▪ Number of speeds	3 + power
▪ Automatic Power revert (minutes)	6

Dimensions

▪ Product dimensions (WxDxH) (mm)	1168 x 508 x 319
▪ Height incl. mounting clamps (without motorbox) (mm)	133
▪ Width flange (mm)	15
▪ Dimensions cut-out opening (WxD) (mm)	1145 x 485
▪ Advised mounting height induction hobs (Hmin-Hmax) (mm)	600 - 1600
▪ Advised mounting height gas hobs (Hmin-Hmax) (mm)	650 - 1600
▪ Advised mounting height ceramic hobs (Hmin-Hmax) (mm)	600 - 1600
▪ Diameter outlet (mm)	150
▪ Position exhaust	Top, Right, Left, Front, Back

Lighting

▪ Functional light dimmable	-
▪ Soft-ON/OFF	-
▪ External light connector	220-230V / max 300W / Not Dimmable

Airflow and noise level





▪ Free airflow (m ³ /h)	815
▪ Airflow (m ³ /h) measured according to EN 61591	
▪ Sound regulation according to EN 60704-2-13	

Airflow and noise level

- Airflow duct out speed 1 (m³/h) / Max pressure duct out speed 1 (Pa) 227 / 69
- Airflow duct out speed 2 (m³/h) / Max pressure duct out speed 2 (Pa) 399 / 240
- Airflow duct out speed 3 (m³/h) / Max pressure duct out speed 3 (Pa) 530 / 381
- Airflow duct out max powerspeed (m³/h) (Qboost) / Max pressure duct out611 / 382
max powerspeed (Pa)
- Sound pressure duct out speed 1 (dB(A)) / Sound power duct out speed 26 / 36
1 (dB(A))
- Sound pressure duct out speed 2 (dB(A)) / Sound power duct out speed 35 / 46
2 (dB(A))
- Sound pressure duct out speed 3 (dB(A)) / Sound power duct out speed 42 / 55
3 (dB(A))
- Sound pressure duct out at max powerspeed (dB(A)) / Sound power duct 46 / 57
out at max powerspeed (dB(A)) (LWAbost)

Technical specifications

- Maximum power (W) 105
- Voltage appliance (V) 220-240
- Frequency (Hz) 50-60
- Power consumption in stand-by-mode (Ps) (W) 0.29
- Net weight (kg) 24
- Length power supply cable (m) 1,2



Installation accessories

Dissociated motor

- 800997

Kit to install remote motor Novy Pureline (Pro)

Extension cable

- 7000094

Extension cable for remote motor - 5 m

Accessories

Recirculation box



841400

Exhaust box with monoblock filter




842400

Exhaust box with monoblock filter



843400

Exhaust box with monoblock filter



7931400

Exhaust box with monoblock filter



7932400

Exhaust box with monoblock filter



7933400

Recirculation box with monoblock filter

Adapter for limited installation height



6830053

Adapter limited installation height for Novy Pureline (Pro)

Accessories

Control kit



990030

Kit connection with external cover and/or lighting

