

**Wall mounted
Agora 90 cm
Stainless steel**

EAN 5414425071500



Energy label

▪ Energy Efficiency class (EEI)	C
▪ Annual Energy Consumption (kWh/year) (AEC _{hood})	75,9
▪ Fluid Dynamic Efficiency class (FDE _{hood})	B
▪ Lighting Efficiency class (LE _{hood})	E
▪ Grease Filtering Efficiency class (GFE _{hood})	F

Functions & features

▪ Control method	Push buttons
▪ Number of speeds	3 + power
▪ Automatic Power revert (minutes)	6
▪ Motor	Integrated
▪ Sound absorber	Integrated
▪ InTouch function	Optional
▪ Auto stop	▪
▪ Delayed switch off (minutes)	10
▪ Number of grease filters	2
▪ Grease filter	140040
▪ Grease filter cleaning indication	▪
▪ Recirculation filter cleaning indication	-

Dimensions

▪ Product dimensions exhaust (WxDxH _{min} -H _{max}) (mm)	898 x 520 x 680 - 1140
▪ Product dimensions recirculation (WxDxH _{min} -H _{max}) (mm)	898 x 520 x -
▪ Max height optional chimney exhaust (mm)	1500
▪ Advised mounting height ceramic hobs (H _{min} -H _{max}) (mm)	600 - 750
▪ Advised mounting height gas and induction hobs (H _{min} -H _{max}) (mm)	650 - 750
▪ Diameter outlet (mm)	150
▪ Position exhaust	Top

Lighting

▪ Functional lighting type	Halogen
▪ Dimmable light	-
▪ Soft-ON/OFF	-
▪ Total energy consumption functional light (W)	40

Airflow and noise level


▪ Airflow (m ³ /h) measured according to EN 61591	
▪ Sound regulation according to EN 60704-2-13	
▪ Airflow speed 1 (m ³ /h) / Max Pressure speed 1 (Pa)	212 / 296
▪ Airflow speed 2 (m ³ /h) / Max Pressure speed 2 (Pa)	297 / 321
▪ Airflow speed 3 (m ³ /h) / Max Pressure speed 3 (Pa)	378 / 338
▪ Airflow Powerspeed (m ³ /h) / Max Pressure Powerspeed (Pa)	492 / 354

Airflow and noise level

▪ Sound power speed 1 (dB(A)) / Sound pressure speed 1 (dB(A))	44 / 31
▪ Sound power speed 2 (dB(A)) / Sound pressure speed 2 (dB(A))	50 / 37
▪ Sound power speed 3 (dB(A)) / Sound pressure speed 3 (dB(A))	55 / 42
▪ Sound Powerspeed (dB(A)) / Sound pressure Powerspeed (dB(A))	59 / 46

Technical specifications

▪ Maximum power	170
▪ Voltage (V)	220-230
▪ Frequency (Hz)	50
▪ Power consumption in stand-by-mode (W)	0,26
▪ Net weight (kg)	27,8



Installation accessories

Back panel & chimney extensions

- 140100
- 152200
- 150275

Chimney extension 86cm

Back panel

Back panel

Accessories

Control kit



990021

Kit for remote control (InTouch)

