

**Ceiling unit
Maxi Pureline 150 cm (without motor)
Stainless steel**



EAN 5414425008551

Functions & features

▪ Control method	Push buttons + Remote control
▪ Number of speeds	3 + power
▪ Automatic Power revert (minutes)	6
▪ Motor	Without
▪ Sound absorber	Without
▪ Recirculation	Optional
▪ InTouch function	Standard
▪ Auto stop	▪
▪ Delayed switch off (minutes)	10/30
▪ Number of grease filters	2
▪ Grease filter	7400020
▪ Grease filter cleaning indication	▪
▪ Recirculation filter cleaning indication	▪

Dimensions

▪ Product dimensions (WxDxH) (mm)	1460 x 670 x 90
▪ Height incl. mounting clamps (without motorbox) (mm)	133
▪ Width flange (mm)	14
▪ Dimensions cut-out opening (WxD) (mm)	1438 x 648
▪ Advised mounting height induction hobs (Hmin-Hmax) (mm)	600 - 1600
▪ Advised mounting height gas hobs (Hmin-Hmax) (mm)	650 - 1600
▪ Advised mounting height ceramic hobs (Hmin-Hmax) (mm)	600 - 1600
▪ Diameter outlet (mm)	2x150
▪ Position exhaust	Top

Lighting

▪ Functional light dimmable	-
▪ Soft-ON/OFF	-
▪ External light connector	220-230V / max 300W / Not Dimmable


Airflow and noise level

- Airflow (m³/h) measured according to
- Sound regulation according to


Technical specifications

▪ Voltage cooker hood (V)	230
▪ Frequency (Hz)	50
▪ Length power supply cord (m)	1,2
▪ Power consumption in stand-by-mode (Ps) (W)	0.29
▪ Net weight (kg)	36


1




2



3



4



Installation accessories

Dissociated motor


- 245999 Remote motor for installation inside
- 445999 Wall motor
- 745999 Flat roof motor 48,8 cm high, 1.150 m³/h
- 755999 Flat roof motor with silencer 78,4 cm high, 1.145 m³/h

Extension cable

- 7000092 Extension cable 5 m

Accessories

Recirculation kit



850400

Monoblock recirculation set Novy Maxi Pureline

Recirculation box



841400

recirculation box with monoblock white (270x500mm)



842400

recirculation box with monoblock black (270x500mm)



843400

recirculation box with monoblock grey (270x500mm)

Adapter for limited installation height



830052

Adapter limited installation height 18,3 cm

