

Canopy
60 cm
White



EAN 5414425008742

Energy label

▪ Energy Efficiency class (EEIhood)	C
▪ Annual Energy Consumption (kWh/year) (AEChood)	62,6
▪ Fluid Dynamic Efficiency class (FDEhood)	D
▪ Lighting Efficiency class (LEhood)	D
▪ Grease Filtering Efficiency class (GFEhood)	C

Functions & features

▪ Control method	Rotary switch
▪ Number of speeds	3
▪ Motor	Integrated
▪ Sound absorber	Integrated
▪ Recirculation	Optional
▪ Auto stop	-
▪ Number of grease filters	1
▪ Grease filter	609014
▪ Grease filter cleaning indication	-
▪ Recirculation filter cleaning indication	-

Dimensions

▪ Product dimensions (WxDxH) (mm)	538 x 301 x 371
▪ Dimensions cut-out opening (WxD) (mm)	510 x 290
▪ Min dimensions cabinet (WxDxH) (mm)	x 600 x
▪ Advised mounting height induction hobs (Hmin-Hmax) (mm)	650 - 750
▪ Advised mounting height gas hobs (Hmin-Hmax) (mm)	650 - 750
▪ Advised mounting height ceramic hobs (Hmin-Hmax) (mm)	600 - 750
▪ Diameter outlet (mm)	125
▪ Position exhaust	Top

Lighting

▪ Functional lighting type	CFL
▪ Dimmable light	-
▪ Soft-ON/OFF	-
▪ Total energy consumption functional light (W)	22

Airflow and noise level

▪ Airflow (m ³ /h) measured according to EN 61591	
▪ Sound regulation according to EN 60704-2-13	
▪ Airflow speed 1 (m ³ /h) / Max Pressure speed 1 (Pa)	172 / 251
▪ Airflow speed 2 (m ³ /h) / Max Pressure speed 2 (Pa)	227 / 326
▪ Airflow speed 3 (m ³ /h) / Max Pressure speed 3 (Pa)	327 / 360
▪ Sound pressure speed 1 (dB(A)) / Sound power speed 1 (dB(A))	32 / 46
▪ Sound pressure speed 2 (dB(A)) / Sound power speed 2 (dB(A))	38 / 51


Airflow and noise level

▪ Sound pressure speed 3 (dB(A)) / Sound power speed 3 (dB(A))	45 / 59
--	---------


Technical specifications

▪ Maximum power	125
▪ Voltage (V)	220-230
▪ Frequency (Hz)	50
▪ Length power supply cord (m)	1
▪ Power consumption in off-mode (Po) (W)	0,00
▪ Net weight (kg)	11,4


1




2



3



4



Accessories

Recirculation box

841400

recirculation box with monoblock white (270x500mm)



842400

recirculation box with monoblock black (270x500mm)



843400

recirculation box with monoblock grey (270x500mm)

Efficiency Curve

