

876|08

Canopy 90 cm White

EAN 5414425008766



Energy label

■ Energy Efficiency class (EElhood)	D
Annual Energy Consumption (kWh/year) (AEChood)	72,6
■ Fluid Dynamic Efficiency class (FDEhood)	D
Lighting Efficiency class (LEhood)	E
Grease Filtering Efficiency class (GFEhood)	E

Functions & features

Control method	Rotary switch
Number of speeds	3
Motor	Integrated
■ Sound absorber	Integrated
■ Recirculation	Optional
Auto stop	-
Number of grease filters	1
Grease filter	609014
Grease filter cleaning indication	-
Recirculation filter cleaning indication	-

Dimensions

Product dimensions (WxDxH) (mm)	838 x 301 x 371
Dimensions cut-out opening (WxD) (mm)	810 x 290
Min dimensions cabinet (WxDxH) (mm)	x 600 x
Advised mounting height induction hobs (Hmin-Hmax) (mm)	650 - 750
Advised mounting height gas hobs (Hmin-Hmax) (mm)	650 - 750
Advised mounting height ceramic hobs (Hmin-Hmax) (mm)	600 - 750
Diameter outlet (mm)	125
Position exhaust	Тор

Lighting

■ Functional lighting type	TL 8
■ Dimmable light	-
Soft-ON/OFF	-
■ Total energy consumption functional light (W)	30


Airflow and noise level

179 / 229
237 / 334
337 / 390
31 / 45
37 / 51

876|08

Airflow and noise level

Sound pressure speed 3 (dB(A)) / Sound power speed 3 (dB(A))	44 / 58
Technical specifications	
■ Maximum power	139
Voltage (V)	220-230
■ Frequency (Hz)	50
Length power supply cord (m)	1
Power consumption in off-mode (Po) (W)	0,00
Net weight (kg)	15,8



Recirculation box

841400	recirculation box with monoblock white (270x500mm)
842400	recirculation box with monoblock black (270x500mm)
843400	recirculation box with monoblock grey (270x500mm)

